


CoFC



Attorney Docket No. BSCU-005/00US

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of Christopher R. O'KEEFE et al. Examiner: Michael G. Bogart

Patent No. 6,921,378 B2

Art Unit: 3761

Issued: July 26, 2005

Confirmation No.: 6343

Serial No.: 09/973,660

Filed: October 9, 2001

For: **ANTI-REFLUX DRAINAGE DEVICES AND METHODS**

U.S. Patent and Trademark Office  
Customer Service Window  
Attn: Certificate of Correction Branch  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

**Certificate**  
**FEB 06 2006**  
**of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT**

Applicant respectfully requests a certificate of correction for the above-identified patent due to errors made by the Patent Office. The errors can be found in the patent in the following locations:

Column 14, line 29 (claim 16, line 11), replace "of prevent" with --to prevent--.

The corrections are indicated on the attached Form PTO/SB/44 for Certificate of Correction, submitted in duplicate.

The correction is required due to Patent Office error, and it is believed that no fee is required.

**FEB 6 2006**

In the event that a fee is required, the Director is hereby authorized to charge any underpayment of the fees associated with this communication under 37 C.F.R. §1.20 or credit any overpayment to Deposit Account No. 50-1283.

Dated: FEBRUARY 2, 2006

Cooley Godward LLP  
ATTN: Patent Group  
One Freedom Square  
Reston Town Center  
11951 Freedom Drive  
Reston, VA 20190-5656  
Tel: (703) 456-8000  
Fax: (703) 456-8100

Respectfully submitted,  
COOLEY GODWARD LLP

By: 

Timothy D. Ford  
Reg. No. 47,567

258381 vl/RE

FEB 6 2006

(Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,921,378 B2

PAGE 1 OF 1

DATED : July 26, 2005

INVENTOR(S) : Christopher R. O'Keefe et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14

Line 29, replace "of prevent" with --to prevent--.

MAILING ADDRESS OF SENDER:

Cooley Godward LLP  
One Freedom Square  
Reston Town Center  
11951 Freedom Drive  
Reston, VA 20190-5656

PATENT NO. 6,921,378 B2

FFR 6 2006

(Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,921,378 B2

PAGE 1 OF 1

DATED : July 26, 2005

INVENTOR(S) : Christopher R. O'Keefe et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14

Line 29, replace "of prevent" with --to prevent--.

MAILING ADDRESS OF SENDER:

Cooley Godward LLP  
One Freedom Square  
Reston Town Center  
11951 Freedom Drive  
Reston, VA 20190-5656

PATENT NO. 6,921,378 B2

FFB 6 2006